



# GASPARDO

## SINCE 1964

### Growing Together

## ROTARY TILLER

# VIRAT LIGHT



Model	HP Range	Working Width (cm)	Total Width (cm)	*Working Depth		No. of Blades	**Weight (kg)
				(cm)	(inches)		
V-LIGHT 125	30-35	135	155	22	8.5	30	345
V-LIGHT 125	30-35	125	145	22	8.5	36	361
V-LIGHT 145	35-40	145	165	22	8.5	42	370
V-LIGHT 150	35-40	150	170	22	8.5	42	377
V-LIGHT 165	40-45	165	185	22	8.5	36	393
V-LIGHT 165	40-45	165	185	22	8.5	48	398
V-LIGHT 185	45-50	185	205	22	8.5	42	417
V-LIGHT 185	45-50	185	205	22	8.5	54	425
V-LIGHT 205	50-60	205	225	22	8.5	48	433
V-LIGHT 205	50-60	205	225	22	8.5	60	447

#### GEARBOX

540 rpm	1000 rpm	rpm
Multi Speed		
20-16	NA	269
19-17	NA	241
17-19	NA	193
16-20	NA	172
NA	15-21	285
TRANSMISSION TYPE		

\*It may vary according to soil condition and soil type.  
 \*\*Machine weight is excluding Cardan shaft and Tool kit.  
 Also available in Single speed gearbox

#### FUNCTION

- Preparing seed bed with optimum pulverization in all kind of crops/secondary tillage
- Light duty machine for soft soils

#### BENEFITS

- Strong structure
- Oil bath lubricated rotor bearings
- Side gear transmission in oil bath
- Waterproof sealing on rotor hub
- Good soil refinement
- Low fuel consumption

#### ADVANTAGES

- Italian boron steel blades
- Rear bonnet adjustment with double spring
- High mixing level of crop residues
- Multi-speed gear box (4 speeds)
- Reduced maintenance
- Depth skids with multiple adjustment
- Optional : Single speed gearbox


### WORLD CLASS BRAND WITH OVER 400 PRODUCTS



TILLAGE & CULTIVATION



SEEDING & PLANTING




FERTILIZATION



CROP PROTECTION



LANDSCAPING



HAY & FORAGE

AUTHORIZED DEALER :

MASCHIO GASPARDO INDIA PVT LTD  
 Plant : Plot No F 27 MIDC, Village Karegaon,  
 Tal Shirur 412220 Ranjangaon, District - Pune, India  
 Tel. +91 02138 612500 | Email. info@maschio.in

MASCHIO GASPARDO INDIA PVT LTD  
 CORPORATE OFFICE : Off. No. 203-204, Tower-II,  
 World Trade Center, Kharadi, Pune 411014, India.  
 Tel. +91 02138 612500 | Email. info@maschio.in

Note: Maschio Group reserves the right at any time to make changes to the design or specifications shown or described, to add or remove features, without any notice or obligations on Purchased before or after such changes are made.

www.maschio.com

Customer Care - 844 844 8544

Maschio Gaspardo India



# GASPARDO

# SINCE 1964

## Growing Together

## ROTARY TILLER

# VIRAT REGULAR (SP)



Model	HP Range	Working Width (cm)	Total Width (cm)	*Working Depth		No. of Blades	**Weight (kg)
				(cm)	(inches)		
V-SP 125	30-35	125	145	22	8.5	30	355
V-SP 145	35-40	145	165	22	8.5	36	378
V-SP 165	40-45	165	185	22	8.5	42	420
V-SP 185	45-50	185	205	22	8.5	48	445
V-SP 205	50-60	205	225	22	8.5	54	477
V-SP 205***	55-65	205	225	22	8.5	54	500
V-SP 230	65-75	230	250	22	8.5	60	503
V-SP 230***	65-80	230	250	22	8.5	60	535
V-SP 275***	75-95	275	295	22	8.5	72	685
V-SP 305***	90-110	305	325	22	8.5	78	715

### GEARBOX

540 rpm	1000 rpm	rpm
Multi Speed		
20-16	NA	258
19-17	NA	230
17-19	NA	185
16-20	NA	166
NA	15-21	273
TRANSMISSION TYPE		

### GEARBOX (For 230 model)

540 rpm	1000 rpm	rpm
Multi Speed		
18-15	NA	257
15-18	NA	178
17-16	NA	227
16-17	NA	201
NA	13-20	257
TRANSMISSION TYPE		

### GEARBOX (for GGB model)

540 rpm	1000 rpm	rpm
Multi Speed		
19-16	NA	267
16-19	NA	189
18-17	NA	238
17-18	NA	212
NA	13-22	246
TRANSMISSION TYPE		

\*It may vary according to soil condition and soil type.

\*\*machine weight is excluding cardan shaft and tool kit.

\*\*\* Machines fitted with GGB gearbox & also available in Single speed gearbox

### FUNCTION

- Preparing seed bed with optimum pulverization in all kind of crops/secondary tillage
- Specially designed for moist, sticky soils susceptible to clogging

### BENEFITS

- Strong structure
- Oil bath lubricated rotor bearings
- Side gear transmission in oil bath
- Waterproof sealing on rotor hub
- Good soil refinement
- Low fuel consumption

### ADVANTAGES

- Italian boron steel blades
- Rear bonnet adjustment with double spring
- High mixing level of crop residues
- Multi-speed gear box (4 speeds)
- Reduced maintenance
- Depth skids with multiple adjustment
- Center and Offset version


## WORLD CLASS BRAND WITH OVER 400 PRODUCTS



TILLAGE & CULTIVATION



SEEDING & PLANTING



FERTILIZATION



CROP PROTECTION



LANDSCAPING



HAY & FORAGE

AUTHORIZED DEALER :

MASCHIO GASPARDO INDIA PVT LTD

Plant : Plot No F 27 MIDC, Village Karegaon, Tal Shirur 412220 Ranjangaon, District - Pune, India  
Tel. +91 02138 612500 | Email. info@maschio.in

MASCHIO GASPARDO INDIA PVT LTD

CORPORATE OFFICE : Off. No. 203-204, Tower-II, World Trade Center, Kharadi, Pune 411014, India.  
Tel. +91 02138 612500 | Email. info@maschio.in

Note: Maschio Group reserves the right at any time to make changes to the design or specifications shown or described, to add or remove features, without any notice or obligations on Purchased before or after such changes are made.

www.maschio.com

Customer Care - 844 844 8544

Maschio Gaspardo India



# GASPARDO

# SINCE 1964

## Growing Together

## ROTARY TILLER

# VIRAT PLUS



Model	HP Range	Working Width (cm)	Total Width (cm)	*Working Depth (cm)	*Working Depth (inches)	No. of Blades	**Weight (kg)
V-PLUS 125	30-35	125	145	22	8.5	36	365
V-PLUS145	35-40	145	165	22	8.5	42	388
V-PLUS 165	40-45	165	185	22	8.5	48	415
V-PLUS 185	45-50	185	205	22	8.5	54	451
V-PLUS 205	50-60	205	225	22	8.5	60	484
V-PLUS 205 ***	55-65	205	225	22	8.5	60	510

GEARBOX		
540 rpm	1000 rpm	rpm
Multi Speed		
20-16	NA	258
19-17	NA	230
17-19	NA	185
16-20	NA	166
NA	15-21	273
TRANSMISSION TYPE		

GEARBOX (for GGB model)		
540 rpm	1000 rpm	rpm
Multi Speed		
19-16	NA	267
16-19	NA	189
18-17	NA	238
17-18	NA	212
NA	13-22	246
TRANSMISSION TYPE		

\*It may vary according to soil condition and soil type.  
 \*\*machine weight is excluding cardan shaft and tool kit.  
 \*\*\* Machines fitted with GGB gearbox & also available in Single speed gearbox

### FUNCTION

- Preparation of seed bed with optimum pulverization quality & fine soil. Also suitable for mixing crop residues into soil
- Recommended for operation in soft to medium hard soils

### BENEFITS

- Strong structure
- Oil bath lubricated rotor bearings
- Side gear transmission in oil bath
- Waterproof sealing on rotor hub
- Good soil refinement
- Low fuel consumption

### ADVANTAGES

- Italian Boron steel blades
- Rear bonnet adjustment with double spring
- High mixing level of crop residues
- Multi-speed gear box (4 speeds)
- Reduced maintenance
- Depth skids with multiple adjustment
- Center and Offset version


## WORLD CLASS BRAND WITH OVER 400 PRODUCTS



TILLAGE & CULTIVATION



SEEDING & PLANTING




FERTILIZATION



CROP PROTECTION



LANDSCAPING



HAY & FORAGE

AUTHORIZED DEALER :

MASCHIO GASPARDO INDIA PVT LTD  
 Plant : Plot No F 27 MIDC, Village Karegaon,  
 Tal Shirur 412220 Ranjangaon, District - Pune, India  
 Tel. +91 02138 612500 | Email. info@maschio.in

MASCHIO GASPARDO INDIA PVT LTD  
 CORPORATE OFFICE : Off. No. 203-204, Tower-II,  
 World Trade Center, Kharadi, Pune 411014, India.  
 Tel. +91 02138 612500 | Email. info@maschio.in

Note: Maschio Group reserves the right at any time to make changes to the design or specifications shown or described, to add or remove features, without any notice or obligations on Purchased before or after such changes are made.

www.maschio.com

Customer Care - 844 844 8544

Maschio Gaspardo India



# GASPARDO

## SINCE 1964

### Growing Together

## ROTARY TILLER

# VIRAT J



Model	HP Range	Working Width (cm)	Total Width (cm)	*Working Depth		No. of Blades	**Weight (kg)
				(cm)	(inches)		
VIRAT-J 145	35-40	125	145	22	8.5	60	374
VIRAT-J 165	45-50	145	165	22	8.5	66	399
VIRAT-J 175	45-55	175	195	22	8.5	66	414
VIRAT-J 185	50-55	185	205	22	8.5	72	421
VIRAT-J 205	55-60	205	225	22	8.5	78	440

#### GEARBOX

540 rpm	1000 rpm	rpm
Multi Speed		
20-16	NA	258
19-17	NA	230
17-19	NA	185
16-20	NA	166
NA	15-21	273
TRANSMISSION TYPE		

\*It may vary according to soil condition and soil type.

\*\*Machine weight is excluding cardan shaft and Tool kit.

#### FUNCTION

- Seedbed preparation for potato & other tuber, root crops
- Soil conditioning, secondary tillage


#### BENEFITS

- Strong structure
- Oil bath lubricated rotor bearings
- Side gear transmission in oil bath
- Waterproof sealing on rotor hub
- Good soil refinement
- Low fuel consumption

#### ADVANTAGES

- Rear bonnet adjustment with double spring
- High mixing level of crop residues
- Multi-speed gear box (4 speeds)
- Reduced maintenance
- Depth skids with multiple adjustment


### WORLD CLASS BRAND WITH OVER 400 PRODUCTS



TILLAGE & CULTIVATION



SEEDING & PLANTING



FERTILIZATION



CROP PROTECTION



LANDSCAPING



HAY & FORAGE

AUTHORIZED DEALER :

MASCHIO GASPARDO INDIA PVT LTD

Plant : Plot No F 27 MIDC, Village Karegaon,  
Tal Shirur 412220 Ranjangaon, District - Pune, India  
Tel. +91 02138 612500 | Email. info@maschio.in

MASCHIO GASPARDO INDIA PVT LTD

CORPORATE OFFICE : Off. No. 203-204, Tower-II,  
World Trade Center, Kharadi, Pune 411014, India.  
Tel. +91 02138 612500 | Email. info@maschio.in

Note: Maschio Group reserves the right at any time to make changes to the design or specifications shown or described, to add or remove features, without any notice or obligations on Purchased before or after such changes are made.

www.maschio.com

Customer Care - 844 844 8544

Maschio Gaspardo India